



ISUZU

READY FOR ADVENTURE

Introducing the Isuzu MU-X. A seven-seat family SUV that redefines the boundaries of adventure.

a three and a stand of the second states

A new world awaits.

ISUZU

USUZU MLI-X

Whether you're navigating peak-hour on the weekday school run or traversing whatever the wildest weekend can throw at you, the Isuzu MU-X has you covered for the routine, extreme, and everything in between.

Enjoy a passenger carlike driving experience you have come to expect from today's modern SUV's, but with a bulletproof 4WD drivetrain mated to one of the world's most robust diesel engines, the MU-X will deliver you the opportunity to test your off-road ability like never before.

Isuzu MU-X – Ready when you are.



READY TO IMPRESS




ture fant es a der an til

1000

Bold, adventurous styling.

The Isuzu MU-X strikes a commanding stance. With suave city-style meshed with tough off-road tones, the MU-X will turn heads for all the right reasons. Available in three different spec levels, there's an MU-X that not only looks the part, but is appropriately designed with all the features required to suit any driving purpose.

Whether your rendezvous is on the red carpet or off the beaten track, the MU-X looks at home in any setting and on any terrain. Effortlessly, the MU-X blurs the boundaries between the city and the outback – providing you and your family an endless choice of exciting destinations.



ISUZU

Famous for its durability, reliability and fuel economy, the Isuzu 4JJ1-TC 3.0L turbo diesel engine provides abundant power and torque to make light work of any load

A heavy duty steel timing chain ensures dural the engines life & lower maintenance costs

Advanced anti-friction melt-in liner technology eliminates the need for cylinder liners



READY TO PERFORM

Behind the style, there's plenty of substance.

With 3 tonne towing (braked) across the entire range, the Isuzu MU-X never knocks back hard work. Be it towing your boat, caravan, horse float or trailer, the MU-X does it effortlessly and with confidence – thanks to the ingenious Isuzu technology and Japanese engineering under the bonnet.

Delivering 130kW of power and 380Nm of torque, the high-pressure common rail fuel injection system makes the most of every drop of fuel, and the intercooled VGS (Variable Geometry System) turbocharger provides excellent response over the engine's entire rev range. Proven in a series of testing environments, each component of the Isuzu diesel engine has been crafted to reduce maintenance and increase durability to ensure years of trouble-free motoring.

READY FOR THE LONG HAUL

Legendary fuel economy takes you further.


From one of the world's leading manufacturers of diesel engine technology, the impressive Isuzu 3.0 litre turbo diesel engine that powers the Isuzu MU-X is as frugal as it is athletic. Delivering plenty of power and torque, this stirring powerplant produces equally amazing fuel economy of just 8.2[△] litres per 100 km – which means less time filling up and more money in your pocket to spend on your next adventure.

The MU-X is as efficient as it gets thanks to three core engine characteristics – low down torgue from 1,800rpm through to 2,800rpm provides optimum performance and fuel efficiency, while the MU-X's Variable Geometry System (VGS) turbocharger

alters the direction of exhaust flow to optimise turbine response at low engine rpm to overcome 'turbo lag'. Overseeing the fuel delivery is the MU-X's common rail high pressure fuel system which uses the latest in fuel injector and high pressure fuel rail technology to effectively minimise the amount of fuel in the combustion process, providing superior fuel economy.

In addition, automatic versions of the MU-X also benefit from the intelligent 'grade-logic' transmission which keeps the MU-X in the correct gear preventing over-revving and unnecessary fuel burn.







Common rail high-pressure fuel injection

Fuel efficient 5-speed automatic transmission with Rev-Tronic

Multi Information Display of instant and average fuel consumption

^ACombined cycle tested to ADR 81/02, Australian government's standard lab based test. Your fuel figures depend on driving style, conditions of usage, vehicle condition and load, and other factors.

READY FOR THE TOUGH TERRAIN







Vehicle clearance and angles dimensions

for LS-U and LS-T models

Underbody protection, front steel plate skid/shield

"Terrain Command" 4WD system allows for simple shift from 2WD high, 4WD high and 4WD low



t high ride front coil spring suspension with gas shock stabiliser bar, upper and lower wishbones

4x4 LS-M in Cosmic Black mica, fitted with extra cost accessories

WITHOUT TRACTION CONTROL SYSTEM (TCS)



WITH TRACTION CONTROL SYSTEM (TCS)



Four-wheel-drive command at your fingertips.

For years, other manufacturers have been displaying their latest family SUV's traversing rocky mountain ranges and cruising along soft sandy beaches – only to be told in the showroom that "you shouldn't really try that". Well now with the Isuzu MU-X four-wheel-drive you can tackle that always dreamt of destination and reach that out-of-the-way spot with confidence, as it enables you real-world off-road capability.

All 4x4 MU-X models are equipped with Isuzu's super-easy to use "Terrain command" 4WD select dial (2-high, 4-high and 4-low range) with hill-ascent and descent control – so when the road that takes you to that secret beach, or hidden mountain range gets rough, your spirit for adventure won't be stopped in its tracks.

Every 4x4 MU-X is also fitted with the rugged off-road protection you need when roughing it. There's a front steel plate skid/splash shield as well as steel plate guards to protect the sump and transfer case. Add to this a tried and tested 4x4 drivetrain managed by an intelligent Traction Control System (TCS) with Electronic Stability Control (ESC), along with generous ground-clearance, approach and departure angles – any track is yours to be owned.

Standard on all models, Traction Control System (TCS) ensures surefooted grip on all surfaces in all conditions

Interior space and comfort.

Cloaked behind the sleek exterior lines of the Isuzu MU-X lies a smartly designed interior that creates a wealth of space for all of the family – and then some. There's room for you and a team of six to travel safely, securely and in comfort. Wide door arches make access for all passengers a breeze, and when exploring your sense of adventure off-road, there's strategically placed assist grips to help keep you grounded.


In addition to the fun there's also a practical side to the MU-X's interior. There's an abundance of clever storage compartments and with the second and third row seats ability to fold down,


there's also an overly generous cargo area when you have a sizeable load to carry. You'll never need to look for another cup holder again, our design engineers have managed to include 14 of them so you'll always have a refreshment at hand.


A new seat design with 'wrap-around' bolsters provide increased shoulder, back and base support delivering more comfort for occupants. Clever split/fold rear seats in both the second and third rows mean that no matter what seating configuration you choose, the versatile interior will provide you and your family with all the head, leg and shoulder room you need for a relaxing journey.

4x4 LS-T featuring Charcoal Grey Leather appointed seats and trim#

*Leather on body contact areas of seat.







Glove compartment (lower) and article storage compartment (upper) with easy access power outlet

READY FOR THE WHOLE FAMILY



Six-way electric driver seat allows you to conveniently find your most comfortable driving position at the touch of a button (LS-T model only)

visibility and a convenient storage compartment safe and organised storage compartment

Map light and roof sunglass holder, offers increased cabin The cargo organiser box provides a convenient,



READY FOR THE EVERYDAY

The fold-down 10" monit viewed by both the seco ar image display, occupants (LS-T

110



Rear park assist as standard across the range provides increased safety when reversing

All the mod cons.

While you're having fun behind the wheel, the Isuzu MU-X has also been designed to keep your family entertained.

A premium audio system with 6 speakers, iPod[®] and Bluetooth[®] phone connectivity is standard across the MU-X range, while our top of the range LS-T provides an unparalleled entertainment experience with an additional 2 "Sky Sound" roofmounted speakers and 10" monitor for rear seat passengers. Along with Bluetooth[®] audio streaming, the LS-T also features a touch-screen satellite navigation system with live traffic updates and over 10,000 off-road destinations to ensure you're always on the right track.

READY TO KEEP YOU SAFE

Peace of mind for everywhere you drive.

Your safety on the road is our priority. To ensure this, the Isuzu MU-X is fitted with the latest in sophisticated safety features. Built around a high-tensile steel passenger safety cell with side-intrusion bars, the MU-X carries comprehensive crash avoidance electronics including 4-channel 4-sensor ABS (Anti-skid Brake System) with EBD (Electronic Brakeforce Distribution) and Emergency Brake Assist (EBA) as well as Electronic Stability Control (ESC) and Traction Control System (TCS). Additional protection and peace of mind is provided with six airbags (dual front, front side and full length curtain). For the safety of those around you, all MU-X models come standard with rear park assist audible sensors and on the LS-T model a reversing camera. These safety features work in unison to give the Isuzu MU-X a five-star ANCAP safety rating across the range.

For the ultimate peace of mind, every MU-X comes standard with a 5 year/130,000km[^] New Vehicle Warranty. This backs up our belief that you will enjoy many years of trouble free motoring as a proud MU-X owner. Isuzu has built a solid reputation of reliability and durability over many generations of vehicles and we have confidence that the Isuzu MU-X upholds this tradition. This warranty is complimentary with every new vehicle and it can even be transferred to the next owner which helps to keep a high resale value for your Isuzu MU-X investment.

Where ever you take your MU-X, you are never alone. Each Isuzu MU-X comes standard with the ultimate in vehicle support, 5 years or 130,000km Premium Roadside Assistance[^]. This complimentary service offers an extensive range of benefits to assist you in the unlikely event you need it.



Included on all MU-X models Electronic Stability Control (ESC) detects if the vehicle is under or oversteering



READY FOR YOU

The Isuzu MU-X is offered in three versatile model variants in both 4x2 and 4x4 drivetrains – so there's a vehicle to suit all purposes, be it for your daily grind or family fun.

With a reliable and fuel efficient 3.0L turbo diesel engine, advanced safety features and 3 tonne (braked) towing capacity standard across all models, the MU-X range is always ready when you are.





LS-M

Our entry-level LS-M is perfectly suited to those looking for a no-nonsense, all-purpose SUV. While stylish for city streets, the LS-M will be right at home on a worksite or farm where the rough-and-tumble of everyday life will be taken in its stride.



LS-M key differentiating features:

	16" alloy wheels with full size spare steel wheel
	All-terrain tyres 245/70 R16
	Colour-coded side mirrors and door handles
	Gun metallic front grille
	Manual air conditioning with integrated heater/demister





The mid-range LS-U is our family all-rounder. The LS-U introduces more of the styling and features you have come to expect from a family SUV, making it the ideal run around during the week with the flexibility to get away from it all when Friday afternoon rolls around.



LS-U key differentiating features:

17" alloy wheels with full size spare alloy wheel
Highway terrain tyres 255/65 R17
Fog lights
Chrome exterior styling front grille, side mirrors and handles
Side steps
Climate control airconditioning with integrated heater/demister
Rear cabin cooling vents
Privacy glass - rear doors, quarter and tailgate windows



LS-T

Our range topping LS-T takes the comfort and convenience levels up another notch. With standard features like a leather-appointed interior, climate control air conditioning, touch-screen navigation system with reverse camera and entertainment system, every journey will not only be comfortable, but a fun one too.

4x4

LS-T includes all LS-U features plus:

Leather appointed seats and trim#
Six-way electric driver's seat
Roof rails
Tailgate spoiler
Chrome muffler tip
Touchscreen navigation and audio system
10" rear monitor display
Shark fin roof-mounted integrated GPS antenna

Reversing camera

*Leather on body contact areas of seat.



www.isuzuute.com.au Toll Free: 1300 147 898

This brochure should be read with the Isuzu MU-X specification insert. Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739, 1000 Wynnum Road, Cannon Hill, Queensland, 4170, Australia) reserves the right to change specifications and content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Any accessories shown herein are illustrative and generally are extra-cost optional, not standard equipment. Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories. No part of this brochure can be reproduced without the written permission from Isuzu UTE Australia. All information is true and correct at the time of publishing, April 2014. Printed in Australia. © Copyright Isuzu UTE Australia Pty Ltd 2014. Part No.: 5463756030- 2013 MU-X SALES BROCHURE

¢ fsc MIX Paper from FSC" C001959

15020



Engine					
Series	lsuzu 4JJ1-TC Hi-Po	ower			
Description	3.0 litre turbo diesel, in-line 4-cylinder, DOHC, 16-valve				
Maximum torque	380 Nm @ 1800→2800 rpm (automatic and manual)				
Maximum power	130 kW @ 3600 rpr	n			
Bore x stroke	95.4 mm x 104.9 mm				
Displacement 2999 cc					
Compression ratio	17.3 : 1				
Cylinder head	Isuzu-patent specia	l aluminium alloy with do	ouble-walled water jacketing		
Valve gear	Chain-driven dual o	verhead camshafts, rolle	r rockers, 4 valves/cylinder		
Induction			fuel injection with VSS (Variable eometry System) turbo charger		
Cylinder block		h induction-hardened cyl n nickel composite oil ring	inder bores, cast alloy lower; gs		
Emission level	Euro 4				
Alternator	120 amp				
Transmissions					
Manual	lsuzu 5-speed man 265mm diameter c	ual with high torque capa lutch plate	acity & output reduction		
Automatic	electronically contro	Aisin AW TB50-LS 5-speed with sequential shift & brake shift lock electronically controlled, tri-mode with Adaptive Grade Logic & fuel-saving lock-up torque converter on gears 3, 4 & 5			
		in varied-gradient ascents, beed with engine braking			
	► Hill-ascent & hill-o				
Ratios: 1	1st 2nd 3rd 4th 5th Reverse	5-speed Manual 4.332 2.561 1.492 1.000 0.791 3.947	5-speed Automatic 3.520 2.042 1.400 1.000 0.716 3.224		
Final drive	4x2 4x4	3.727 3.727	3.727 3.727		
	Snorkelled diff brea	thers to increase fording	depth & reduce mud blockage		
Transfer gearing	4x4 low range 4x4 high range	2.482 1.000	2.482 1.000		
4x4 system	"Terrain Command" control with 'shift on the fly' 2-high↔4-high selection at up to 100km/h				
Drivetrain system	TCS (Traction Control System) & ESC (Electronic Stability Control) on all model variants				

Chassis			
Frame	Separate, full-length heavy-duty ladder construction chassis		
Front suspension	Independent, high ride, coil springs, gas shock absorbers, upper & lower wishbones, stabiliser bar		
Rear suspension	Multi-link coil suspension, gas shock absorbers, stabiliser bar		
Axles			
Front	Independent. 4x4: fully floating with outer CV & inner double offset joints Gross Axel Weight: 1350kg		
Rear	Rigid semi-floating banjo with hypoid final drive Gross Axel Weight: 1600kg		

Steering

Engine-speed-sensitive variable capacity power-assisted rack & pinion system; 3.2 turns lock-to-lock via tilt-adjustable steering wheel

Brakes

Power-assisted via 10.5" servo unit; 300mm dia ventilated front discs with twin-pot calipers, 318mm rear disc brakes

Anti-skid Brake System (ABS) with Electronic Brakeforce Distribution (EBD) and Emergency Brake Assist (EBA) Central pull up park brake

Wheels & Tyres			
LS-M	16"x 7" alloy; 245 / 70 R16 AT		
LS-U, LS-T	17"x 7" alloy; 255 / 65 R17 HT		

(Full size spare wheel, alloy on LS-U/LS-T)

Warranty

5 years or 130,000km whichever occurs first, for eligible customers; excludes accessories.



Please read with current vehicle brochure. Isuzu UTE Australia reserves the right to change specifications and features at any time.

Printed April 2014.



We so

FEATURES & SPECIFICATIONS

	4x2 Models			4x4 Models		
FEATURES	LS-M	LS-U	LS-M	LS-U	LS-T	
Engine	20-111	20-0	20-111	20-0	20-1	
2999cc DOHC 4-cylinder. intercooled turbo charged, Euro4, (130kW, 380Nm,)		•	•	•	•	
Transmissions						
5-speed manual transmission	_		•	•		
5-speed "Rev-Tronic" automatic transmission with sequential sport mode	•	•	•	•	•	
Safety & Security						
4-channel 4-sensor ABS (Anti-skid Brake System) with EBD (Electronic Brakeforce Distribution)	•	•	•	•		
Electronic Stability Control (ESC)						
Traction Control System (TCS)						
Emergency Brake Assist (EBA)						
	•	•	•			
6 airbags: dual front, front side and full length curtain	•		•			
Reversing camera		•	•			
Rear park assist	•		•	•	•	
Height-adjustable upper mounts for front seat belts	•	•	•	•	•	
Audible and visual front seat belt warnings	•	•	•	•	•	
Dual pre-tensioners with load limiters for front seat belts	•	•	•	•	•	
3-point retractable seat belts for all seating positions	•	•	•	•	•	
Emergency locking retractor (ELR) for all seat belts	•	•	•	•	•	
Automatic locking retractor (ALR) for front passenger and 2nd row seatbelts including centre seat	•	•	•	•	•	
Three childseat tethers for 2nd row seats	•	•	•	•	•	
Child-proof rear door locks	•	•	•	•	•	
Side anti-intrusion bars inside side doors	•	•	•	•	•	
Engine immobilizer	•	•	•	•	•	
Anti-theft alarm system		•		•	•	
Audible alarm when headlights or parking lights are left on and the key is not in ignition	•	•	•	•	•	
Rear window demister with timer	•	•	•	•	•	
High Density Polyethylene (HDPE) fuel tank	•	•	•	•	•	
High mount LED brake light	•	•	•	•	•	
Dual horn	•	•	•	•	•	
Protection						
Under-front steel plate skid/splash shield	•	•	•	•	•	
Steel plate guards: sump and transfer case			•	•	•	
Suspension and Brakes						
Front coil suspension with gas filled shock absorbers	•	•	•	•	•	
Rear multi-link coil suspension with gas filled shock absorbers and stabiliser bar	•	•	•	•	•	
300mm front ventilated discs brakes with twin-pot calipers	•	•	•	•	•	
_ 318mm rear solid disc brakes	•	•	•	•	•	
Exterior Style						
Projector lens headlights for extra low beam depth and reduced flare	•	•	•	•	•	
_ Front fog lights		•		•	•	
Chrome radiator grille		•		•	•	
Gun metal grey radiator grille	•		•			
Aluminium side steps		•		•	•	
Chrome door handles		•		•	•	
Colour-coded door handles	•		•			
Chrome fold-in power door mirrors with integrated turn indicators		٠		•	•	
Colour-coded power door mirrors with integrated turn indicators	•		٠			
Shark fin roof-mounted integrated GPS antenna					•	
Roof-mounted bee-sting antenna	٠	٠	•	٠		
		-		•	•	
Privacy glass - rear doors, quarter and tailgate windows		•		•	-	
Privacy glass - rear doors, quarter and tailgate windows Roof rails (maximum load capacity 60kg)		•		•	•	

VI 11 VELOU



FEATURES & SPECIFICATIONS

	4x2 Models		/	4x4 Models		
FEATURES	LS-M	LS-U	LS-M	LS-U	LS-T	
Seating						
Front bucket whiplash protection seats	•	•	•	•	•	
Leather appointed seats and time"			-	-	•	
Six-way adjustable electric driver's seat					•	
Height-adjustable driver's seat	•	•	•	•		
60:40 split-fold 2nd row seats with fold away centre arm rest	•	•	•	•	•	
50-50 split-fold 3rd row seats (not available for ISO FIX)	•	•	•	•	•	
Adjustable headrests including centre seat	•	•	•	•	•	
In-cabin Storage						
Glovebox with light	•	•	•	•	•	
Power outlet in glovebox and in rear cargo area	•	•	•	•	•	
Centre console with two cup holders and removable ash container	•	•	•	•	•	
Dual-purse driver and front passenger cup holder tray	•	•	•	•	•	
Rear passenger door cup holders	•	•	•	•		
Overhead console with twin map lights and flip-down sunglasses holder	•	•	•	•	•	
Front door storage with cup holders	•	•	•	•	•	
Two cost storige with our holders	•	•	•	•	•	
Rear cargo organiser box	•	•	•	•	•	
Cabin Amenities						
Climate control air conditioning with integrated heater/demister		•		•	•	
Manual air conditioning with integrated heater/demister	•		•			
Rear cabin cooling vents		•		•	•	
Pollen and fine particle air filter	•	•	•	•	•	
Power windows with one-touch down/up, driver's window with safety stop and delay closing	•	•	•	•	•	
Central locking with keyless entry	•	•	•	•	•	
Poweradjustable door mirrors with turn indicator lights	•	•	•	•	•	
Cruise control	•	•	•	•	•	
CD/MP3/FM/AM/AUX audio unit with 6 speakers, Bluetooth phone® & audio streaming and micro USB connectivity*	•	•	•	•		
DVD/USB/SD/CD/MP3/FM/AM/AUX audio unit with iPod® and Bluetooth® phone and audio streaming (remote control included)					•	
"Sky Sound" roof-mounted sound system - total 8 speakers (front dash, front doors, rear doors and roof)					•	
Satellite navigation system with live traffic updates					•	
Roof mounted 10° DVD entertainment monitor					•	
Reversing camera					•	
Rear park assist	•	•	•	•	•	
Tilt-adjustable steering wheel with power steering	•	•	٠	•	•	
Leather wrapped steering wheel with easy select cruise and audio controls	•	•	•	•	•	
Multi-Information Display (MID): odometer, trip odometers A and B, fuel economy, range, maintenance distance	•	•	•	•	•	
Electro-luminescent gauges	•	•	•	•	•	
Terrain command ⁴ 4WD select dial (2-high, 4-high and 4-low range)			•	•	•	
Windscreen wipers with variable intermittent sweep modes	•	•	•	•	•	
Rear window wiper	•	•	•	•	•	
Day/night interior rear view mirror	•	•	•	•	•	
Sun visors with vanity mirror (left) and ticket retaining strap (right)	•	•	•	•	•	
Fixed A-pillar assist-grips for driver and front passenger	•	•	•	•	•	
Roof mounted retractable door assist-grips for front and rear doors	•	•	•	•	•	
3rd row assist-grips	•	•	•	•	•	
Carpet flooring	•	•	•	•	•	

#Leather on body contact areas of seat.

^USB cable at extra cost.

WE: S

iPod® is a trademark of Apple Inc. The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.



Maximum Tow Ball Mass load

WELS -

FEATURES & SPECIFICATIONS

MULADIE MUCE Fiel Consumption Values Num	4x2 Models	4x2 Models 4x4 Models
MUX.ADI 81/02 Fiel Consumption Values AII AIII AIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	IS-M IS-II IS-	LS-M LS-U LS-M LS-U LS-T
International (March Allanamia) All March March <t< td=""><td></td><td></td></t<>		
FUE CORRENTION (Introvidant)UUUConsinual(15) <td< td=""><td>AT AT MT/</td><td>AT AT MIT/AT MIT/AT AT</td></td<>	AT AT MT/	AT AT MIT/AT MIT/AT AT
Continued 82 8.8 8.0 8.0 10.0 10.5 10.5 10.6 <td< td=""><td></td><td></td></td<>		
Exer 90,90,90,00,00,00,00,00,00,00,00,00,00,0	8.2 8.2 8.3	8.2 8.2 8.4 8.4 8.4
CP (gm) Uter Contained 277 277 2762 201 Uter 277 277 28624 2862 2	10.5 10.5 10.8/	10.5 10.5 10.8/10.7 10.8/10.7 10.7
Combined 217 217 217.22 227.22	6.9 6.9 7.0/	6.9 6.9 70/71 70/71 71
Contained 217 217 217.22 221.22 221 Uthen 72 277 287.87 268. Extra Unden 183 184 184.8 184.8 Demonstrate atta otherwise 200 217.22 220.2 220 <t< td=""><td></td><td></td></t<>		
Urban 277 277 285.03 295 Derestion (Inn unless stated otherwis) 3 18/18 18	217 217 221/	217 217 221/223 221/223 223
Dimensions (mm unless stated otherwise) 284		
Measaa 2845 <		
Whealbase 2845 7847 7845 Front Overhang 1845 1846 1845 1845 1845 1845 1845 1845 1845 1845 1845 1845 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245 2197 2245		
Overall with leads do minors) 4805 4805 4805 4805 4805 4805 4805 4805 4805 4805 4805 1805		
Overall high 1800		
Owner Hangh 1826 1830 1829 1125 Front Overhang 905 <td></td> <td></td>		
front overlang 905		
froit, Bar Tack 1570		
Ground dearance - minimum 220 200 220 200 200 200 200 200 200 200 200 200 200 200 200 200 200 200 <td></td> <td></td>		
Turning circle diameter between ketbs (metres) 116 <td></td> <td></td>		
Approach angle 29.5° 30.1° 29.5° 30.2°		
Departure angle 24.6° 25.1° 24.6° 25.0°		
Ramp-over angle 21.9° 22.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 21.9° 23.6° 23.6° 23.6° 23.6°		
Fuel tank capacity (litres) 65 <t< td=""><td></td><td></td></t<>		
Interior Interior Interior Leg room - front 1106 1100 1100 1100 1100		
Leg room - front 1106 1100 1100 1100	65 65 66	65 65 65 65 65
Leg room - front 1106 1100 1100 1100 1100		
Leg room - 2nd 915	1106 1106 110	1106 1106 1106 1106 1106
Leg room - 3rd 815 816 816 816 816 816 816 816 816 816 816 816 816		
Shoulder room - front 1458 1458 1458 1458 1453 1555 <t< td=""><td></td><td></td></t<>		
Shoulder room - 2nd 1453		
Shoulder room - 3rd 1340		
Head room - front 1009 1900 1900 1900 1900 1830 18		
Head room - 2nd 980 1880 1880 1880 1880 1880 1880 1880 1880 1880 1880 887 887 88 878 88 878 88 88 88 88 88 88 88 88 88 88 88 88 88 88		
Head room - 3rd 929 929 929 929 929 929 929 929 929 929 920		
Cargo volume - 2nd & 3rd row seats folded flat (litres) 1830		
Cargo volume - 3rd row seats folded flat (litres) 878 8 878 878 878 878 878 878 878 8 878 878 878 8 878 878 878 8 878 8 878 8 878 8 878 8 878 8 878 8 878 8 875 8 978 <t< td=""><td></td><td></td></t<>		
Cargo volume - behind 3rd row seats (litres) 235 235 235 2 Mass (kg) Tare Mass* (^AT models additional 15kg) 1900 1940 1985* 200 Gross Vehicle Mass 2650 2650 2750 275 Gross Combination Mass 5650 5650 5750 575		
Mass (kg) 1900 1940 1985^{\circ} 200 Tare Mass ¹ (^AT models additional 15kg) 2650 2650 2750 27 Gross Vehicle Mass 2650 2650 2750 27 2750 5750		
Tare Mass* (^AT models additional 15kg) 1900 1940 1985° 20 Gross Vehicle Mass 2650 2650 2750 27 Gross Combination Mass 5650 5650 5750 57		
Gross Vehicle Mass 2650 2650 2750 27 Gross Combination Mass 5650 5650 5750 57		
Gross Combination Mass	<u>1900</u> <u>1940</u> <u>198</u>	<u>1900</u> <u>1940</u> <u>1985</u> [^] <u>2025</u> [^] <u>2060</u>
	2650 2650 275	2650 2650 2750 2750 2750
	5650 5650 575	5650 5650 5750 5750
Maximum Towing Mass (Braked Trailer) 3000 3000 3000 3000 300 300	3000 3000 300	3000 3000 3000 3000 3000
Maximum Towing Mass (Non-Braked Trailer) 750 750 750 750 750 750 750 750 750 750	750 750 75	750 750 750 750 750 750

300

300

300 300


300


ADR 81/02 is the Australian government's standard lab-based test. Your fuel figures depend on driving style, conditions of usage, vehicle condition and load, and other factors. [†]Tare Mass - unladen mass of vehicle and 10 litres of fuel.




MODEL LINE UP









COLOUR OPTIONS SEAT TRIMS Silky White Titanium Silver Cosmic Black Fjord Blue Outback Bronze Splash White Black Cloth metallic metallic metallic (LS-M & LS-U) mica pearl



(LS-T)

ISUZU UTE

Spirit of Truck

Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuute.com.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories. #Leather on body contact areas of seat.